



**SHARP LIGHT**  
LIGHTING EQUIP TR L.L.C.SP





LIGHTING FOR LUXURY  
**CATALOG**

2026

# SERVICES WE OFFER

## PROJECT DESIGN

- Space analysis.
- Lighting requirement assessment.
- Customized design solutions.
- Professional lighting simulations using Dialux.
- Energy-saving and efficiency-focused consultancy.



## MANUFACTURING QUALITY CONTROL

- Production of high-quality LED lighting fixtures.
- Quality testing in accordance with standards.



## PRODUCT DESIGN CUSTOMIZATION

- Custom LED luminaire designs.
- Color and light adjustments.
- Brand-specific production options.

## AFTER-SALES SUPPORT

Periodic maintenance programs.  
Fault detection and rapid response.  
Spare parts supply.  
Technical support.



## INSTALLATION ASSEMBLY SERVICES

- Professional on-site installation.
- Electrical and lighting infrastructure integration.



## LIGHTING EFFICIENCY ENERGY SAVINGS

Luminous efficacy (lm/W) measures how efficiently a light source converts energy into visible light. With a performance of 130 lm/W, our luminaires provide high brightness while consuming less energy—ensuring both powerful illumination and optimal efficiency.



## COLOR TEMPERATURE

Color temperature measures the color of light in Kelvin (K). Lower temperatures (3000 K) produce a warm, yellowish light, while higher temperatures (5000-6500 K) emit a cool, bluish-white light. Importance of Color Temperature for Jewelry Store Lighting:

Showcasing True Colors: The right color temperature helps accurately present the colors and brilliance of jewelry. Cool white light (around 5000K-6500K) mimics daylight, which enhances the sparkle of diamonds and brings out the true colors of gemstones.




### *The Right Tone The Right Impression*


Color temperature is a critical factor that directly affects the perception of products and store atmosphere.



## Focus or Spread? The Angle Decides



The beam angle determines how wide the light is spread. With narrow-angle (10-25°) or wide-angle (40-120°) lenses selected specifically for the project, we provide the most suitable light distribution for the intended use of the space. In this way, we meet both focused and general lighting needs in the most efficient way.



### CRI COMPARASION



CRI 60



CRI 80



CRI 90

Color Rendering Index (CRI) is critical for lighting in jewelry stores. High CRI lighting accurately displays the natural colors and sparkle of jewelry, highlights fine details and highlights the quality of products. This increases customer confidence, improves the shopping experience and supports sales.





Color Temperature	3000K	3000K 4000K	4000K	3000K 6500K	5000K	6500K 4000K	6500K
Quadra Series	●	●	●	●	●	●	●
Orbix Series	●	●	●	●	●	●	●
Square Series	●	●	●	●	●	●	●
Spark Series	●	●	●	●	●	●	●
Rotatelight	●	●	●	●	●	●	●
Cosmos Series	●	●	●	●	●	●	●
Silva Series/Stella	●	●	●	●	●	●	●
Lyra Series	●	●	●	●	●	●	●
Mila / Meraloop 24	●	●	●	●	●	●	●
Sila / Gardin Series	●		●		●		●
Goalpost Series	●	●	●	●	●	●	●
Moonlight / Monolight	●		●		●		●
Line Series	●	●	●	●	●	●	●
MRL / SML	●	●	●	●	●	●	●
Tiny Glow Series	●		●		●		●
Luna / Orla	●		●		●		●
Sirius / Dore	●		●		●		●
Vera / Tira	●		●		●		●
Vega Series	●		●		●		●
Pera Series	●		●		●		●
PAL-3 Series	●	●	●	●	●	●	●
Res -3 Series	●	●	●	●	●	●	●
Magnetic Series	●		●		●		●
Lightbox							





## What is Flicker in LED Lights ?

LED lights can produce an invisible flicker caused by rapid fluctuations in brightness. While this flicker is typically not visible to the naked eye, it can lead to discomfort such as eye strain, headaches, and difficulty concentrating. In some cases, invisible flicker may become noticeable, particularly if you observe streaks in moving objects or vertical lines in photos, indicating that the light source may be flickering.



## Sharp Light Flicker-Free Technology...

Sharp light reduces flicker through Intelligent Dynamic Light Adjustment, ensuring a comfortable and consistent viewing experience. This advanced technology prevents high-speed LED flashes that can occur at low brightness levels, eliminating flicker and enhancing visual comfort.





## The Effect of Bright Luminaires

Bright luminaires can cause glare, making the lighting less comfortable. Anti-glare LED lights offer a more pleasant and effective lighting experience. When the lens is positioned too close to the surface, the light becomes scattered throughout the room instead of being focused on the products, reducing the effectiveness of the lighting.



## Anti-Glare Led Luminaires

The light source is positioned behind the luminaire, allowing for better focus on the products and ensuring the light illuminates specific areas without scattering. This design provides comfortable lighting with minimal reflection in the store environment. An "Anti-Reflection" option is available as an additional feature across all our products. Contact us for more information on low-reflection lighting solutions.





## Leading Designer, Manufacturer, and Installer of LED Lighting Solutions for Jewelers

Sharp Light is a leading pioneer in designing, manufacturing, and installing specialized LED lighting solutions for jewelers in UAE. With its customer-focused approach and customized solutions, it continues to grow in the global market.



## Detailed Consulting Solutions

Sharp Light offers in-depth consultancy services for lighting products, delivering expert guidance and customized solutions to optimize lighting designs and meet client requirements.



# WHY CHOOSE US



## Long-lasting Guarantee

Sharp Light provides long-lasting warranties on its lighting products, ensuring durability and reliable performance for years to come.



## Fast Shipping and Prompt Delivery Across the Globe

By offering fast shipping and fast delivery worldwide, Sharp Light ensures fast service and efficient delivery of lighting solutions to its customers worldwide.



## Quick and On-Site Project Intervention

Sharp Light provides fast and on-site project interventions, providing instant solutions and flawless implementation for lighting projects. Focusing on efficiency and customer satisfaction, Sharp Light guarantees fast response times to meet project demands.




## Over 03 Years of Professional Team Expertise in Our Services

Sharp Light leverages over 03 years of professional expertise within its team, delivering top-quality lighting solutions backed by extensive industry knowledge and experience. performance for years to come.



# LED LIGHTING PRODUCTS




WHERE INNOVATION MEETS ILLUMINATION



● Recessed Direct Luminaire

**EXCLUSIVE  
SERIES**



## QUADRA 28 S

Product Power	65W
Body Material	Aluminium
Dimensions	330x180mm
Cut Out	310x160mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	9100lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



**CREE**




**PHILIPS**



**EAGLE RISE**






**OSRAM**



● Recessed Direct Luminaire

# ORBIX 28 S



**EXCLUSIVE SERIES**




**CREE PHILIPS**  
**EAGLE RISE**  
**OSRAM**



Product Power	65W
Body Material	Aluminium
Dimensions	Ø230mm
Cut Out	Ø200mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	9100lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



# SQUARE 30 S



**EXCLUSIVE SERIES**

**CREE PHILIPS**  
**EAGLE RISE**  
**OSRAM**






Product Power	70W
Body Material	Aluminium
Dimensions	220x220mm
Cut Out	200x200mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	9800lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



● Recessed Direct Luminaire

## QUADRA 28 *Honeycomb*

EXCLUSIVE SERIES



**CREE PHILIPS**  
**EAGLE RISE**  
**OSRAM**


**5 YEARS warranty**

Product Power	48W
Body Material	Aluminium
Dimensions	330x180mm
Cut Out	300x160mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	7050lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



## ORBIX 28 *Honeycomb*

EXCLUSIVE SERIES



**CREE PHILIPS**  
**EAGLE RISE**  
**OSRAM**

**5 YEARS warranty**



Product Power	48W
Body Material	Aluminium
Dimensions	Ø230mm
Cut Out	Ø200mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	7050lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



● Recessed Direct Luminaire

# SQUARE 30 *Honeycomb*

EXCLUSIVE SERIES





Product Power	50W
Body Material	Aluminium
Dimensions	220x220mm
Cut Out	200x200mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	7300lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



# QUADRA SPARK

EXCLUSIVE SERIES



Product Power	54W
Body Material	Aluminium
Dimensions	350x200mm
Cut Out	330x180mm
Product Height	H:60mm
Led Chip Brand	CREE-USA
Lumen Output	7884lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20





OSRAM



● Recessed Direct Luminaire

## SQUARE SPARK



EXCLUSIVE SERIES





Product Power	55W
Body Material	Aluminium
Dimensions	220x220mm
Cut Out	190x190mm
Product Height	H:60mm
Led Chip Brand	CREE-USA
Lumen Output	8030lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



OSRAM

## ORBIX SPARK



EXCLUSIVE SERIES



Product Power	44W
Body Material	Aluminium
Dimensions	Ø230mm
Cut Out	Ø200mm
Product Height	H:60mm
Led Chip Brand	CREE-USA
Lumen Output	6 424lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20





OSRAM



● Recessed Direct Luminaire

# ROTATELIGHT

**EXCLUSIVE SERIES**





Product Power	55W
Body Material	Aluminium
Dimensions	Ø320mm
Cut Out	Ø305mm
Product Height	H:130mm
Led Chip Brand	CREE-USA
Lumen Output	8030lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



## Quadra Series



# QUADRA 28



Product Power	48W
Body Material	Aluminium
Dimensions	330x180mm
Cut Out	310x160mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	7050lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20





## QUADRA 14



Product Power	25W
Body Material	Aluminium
Dimensions	260x100mm
Cut Out	245x90mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	3650lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



## QUADRA 11





Product Power	19W
Body Material	Aluminium
Dimensions	310x60mm
Cut Out	300x55mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	27 74lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



● Recessed Direct Luminaire

# QUADRA 28 G

Anti Glare





Product Power	50W
Body Material	Aluminium
Dimensions	330x180mm
Cut Out	310x160mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	7050lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



# QUADRA 14 G

Anti Glare





Product Power	25W
Body Material	Aluminium
Dimensions	260x100mm
Cut Out	245x90mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	3650lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



● Recessed Direct Luminaire

# QUADRA 11 G

Anti Glare




Product Power	25W
Body Material	Aluminium
Dimensions	310x60mm
Cut Out	300x55mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	3650lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



## Orbix Series

# ORBIX 28





Product Power	48W
Body Material	Aluminium
Dimensions	Ø230mm
Cut Out	Ø200mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	7050lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20




● Recessed Direct Luminaire

## ORBIX 20



Product Power	35W
Body Material	Aluminium
Dimensions	Ø190mm
Cut Out	Ø170mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	5110lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



OSRAM

## ORBIX 16



Product Power	30W
Body Material	Aluminium
Dimensions	Ø175mm
Cut Out	Ø155mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	4350lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20




OSRAM



● Recessed Direct Luminaire

## ORBIX 12




Product Power	22W
Body Material	Aluminium
Dimensions	Ø155mm
Cut Out	Ø140mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	3212lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



OSRAM

## ORBIX 9



Product Power	16W
Body Material	Aluminium
Dimensions	Ø130mm
Cut Out	Ø120mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	2320lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20




OSRAM



● Recessed Direct Luminaire

## ORBIX 6





Product Power	11W
Body Material	Aluminium
Dimensions	Ø120mm
Cut Out	Ø110mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	1606lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



## ORBIX 28 G

Anti Glare




Product Power	48W
Body Material	Aluminium
Dimensions	Ø230mm
Cut Out	Ø200mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	7050lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



● Recessed Direct Luminaire

# ORBIX 20 G

Anti Glare



Product Power	35W
Body Material	Aluminium
Dimensions	Ø190mm
Cut Out	Ø170mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	5110lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



# ORBIX 16 G

Anti Glare




Product Power	30W
Body Material	Aluminium
Dimensions	Ø175mm
Cut Out	Ø155mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	4350lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



● Recessed Direct Luminaire

# ORBIX 12 G

Anti Glare




Product Power	22W
Body Material	Aluminium
Dimensions	Ø155mm
Cut Out	Ø140mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	3212lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



OSRAM

# ORBIX 9 G

Anti Glare



Product Power	16W
Body Material	Aluminium
Dimensions	Ø130mm
Cut Out	Ø120mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	2320lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20





OSRAM



● Recessed Direct Luminaire

# ORBIX 6 G


Anti Glare



Product Power	11W
Body Material	Aluminium
Dimensions	Ø120mm
Cut Out	Ø110mm
Product Height	H:58mm
Led Chip Brand	CREE-USA
Lumen Output	1606lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20





# ORVION



Product Power	28W
Body Material	Aluminium
Dimensions	Ø185mm
Cut Out	Ø170mm
Product Height	H:165mm
Led Chip Brand	CREE-USA
Lumen Output	3746lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



## SQUARE 30



Product Power	50W
Body Material	Aluminium
Dimensions	220x220mm
Cut Out	200x200mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	7300lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20




**CREE**  
**PHILIPS**  
**EAGLE RISE**



**OSRAM**

## SQUARE 12



Product Power	22W
Body Material	Aluminium
Dimensions	150x150mm
Cut Out	130x130mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	3212lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



**CREE**  
**PHILIPS**  
**EAGLE RISE**





**OSRAM**



● Recessed Direct Luminaire

# SQUARE 30 G

Anti Glare





Product Power	50W
Body Material	Aluminium
Dimensions	220x220mm
Cut Out	200x200mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	7300lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



OSRAM

# SQUARE 12 G

Anti Glare



Product Power	22W
Body Material	Aluminium
Dimensions	150x150mm
Cut Out	130x130mm
Product Height	H:50mm
Led Chip Brand	CREE-USA
Lumen Output	3212lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20





OSRAM



● Recessed Direct Luminaire (Cosmos Series)



## COSMOS 28



Product Power	50W
Body Material	Aluminium
Dimensions	Ø240mm
Cut Out	Ø220mm
Product Height	H:72mm
Led Chip Brand	CREE-USA
Lumen Output	7008lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



## COSMOS 20





Product Power	35W
Body Material	Aluminium
Dimensions	Ø200mm
Cut Out	Ø180mm
Product Height	H:72mm
Led Chip Brand	CREE-USA
Lumen Output	5110lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



● Recessed Direct Luminaire

# COSMOS 28 G

Anti Glare





Product Power	50W
Body Material	Aluminium
Dimensions	Ø240mm
Cut Out	Ø220mm
Product Height	H:72mm
Led Chip Brand	CREE-USA
Lumen Output	7008lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20

**CREE**  
**PHILIPS**  
**EAGLE RISE**  
**OSRAM**



# COSMOS 20 G

Anti Glare




Product Power	35W
Body Material	Aluminium
Dimensions	Ø200mm
Cut Out	Ø180mm
Product Height	H:72mm
Led Chip Brand	CREE-USA
Lumen Output	5110lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20

**CREE**  
**PHILIPS**  
**EAGLE RISE**  
**OSRAM**



● Recessed Direct Luminaire

# LUNA




Product Power	10W
Body Material	Aluminium
Dimensions	Ø85mm
Cut Out	Ø70mm
Product Height	H: 75mm
Led Chip Brand	CREE-USA
Lumen Output	1168lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



## OSRAM

# ORLA



Product Power	15W
Body Material	Aluminium
Dimensions	Ø100mm
Cut Out	Ø90mm
Product Height	H:90mm
Led Chip Brand	CREE-USA
Lumen Output	1950lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20




## OSRAM



● Recessed Direct Luminaire

# SIRIUS





Product Power	20W
Body Material	Aluminium
Dimensions	Ø130mm
Cut Out	Ø115mm
Product Height	H:120mm
Led Chip Brand	CREE-USA
Lumen Output	2620lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



**CREE**  
**PHILIPS**  
**EAGLE RISE**  
**OSRAM**



# DORE



Product Power	30W
Body Material	Aluminium
Dimensions	Ø175mm
Cut Out	Ø165mm
Product Height	H:110mm
Led Chip Brand	CREE-USA
Lumen Output	3750lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20





**CREE**  
**PHILIPS**  
**EAGLE RISE**  
**OSRAM**



● Recessed Direct Luminaire

## VERA




Product Power	10W
Body Material	Aluminium
Dimensions	85x85mm
Cut Out	Ø70mm
Product Height	H: 75mm
Led Chip Brand	CREE-USA
Lumen Output	1168lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



OSRAM

## TIRA



Product Power	20W
Body Material	Aluminium
Dimensions	120x120mm
Cut Out	Ø105mm
Product Height	H:110mm
Led Chip Brand	CREE-USA
Lumen Output	2620lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20




OSRAM



● Recessed Direct Luminaire

# PAL 10




Product Power	25W
Body Material	Aluminium
Dimensions	280x45mm
Cut Out	270x35mm
Product Height	H:50mm
Led Chip Brand	OSRAM
Lumen Output	3650lm
CRI (Color Rendering Index)	CRI>80-90
Warranty	5 Years
IP	IP20



# NOX MAGNETIC



Track




Track-Mount Magnetic

Product Power	1W
Body Material	Aluminium
Dimensions	Ø16mm
Cut Out	Magnetic track-mounted
Product Height	H:Any required length
Led Chip Brand	OSRAM
Lumen Output	146lm
CRI (Color Rendering Index)	CRI>80
Warranty	5 Years
IP	IP20



● Track Mount Magnetic

## MILA MAGNETIC




Product Power	10W
Body Material	Aluminium
Dimensions	Ø60mm
Cut Out	Magnetic track-mounted
Product Height	H:80mm
Led Chip Brand	CREE-USA
Lumen Output	1168lm
CRI (Color Rendering Index)	CRI>80
Warranty	5 Years
IP	IP20



## OSRAM

## PAL 6 MAGNET



Product Power	10W
Body Material	Aluminium
Dimensions	110x23mm
Cut Out	Magnetic track-mounted
Product Height	H:45mm
Led Chip Brand	OSRAM
Lumen Output	1168lm
CRI (Color Rendering Index)	CRI>80
Warranty	5 Years
IP	IP20




## OSRAM



● Track Mount Magnetic

## PALIN 30 MAGNETIC




Product Power	10W
Body Material	Aluminium
Dimensions	303x22mm
Cut Out	Magnetic track-mounted
Product Height	H:25mm
Led Chip Brand	OSRAM
Lumen Output	1168lm
CRI (Color Rendering Index)	CRI>80
Warranty	5 Years
IP	IP20



OSRAM

## MAG 6 MAGNETIC



Product Power	6W
Body Material	Aluminium
Dimensions	110x25mm
Cut Out	Magnetic track-mounted
Product Height	H:105mm
Led Chip Brand	OSRAM
Lumen Output	660lm
CRI (Color Rendering Index)	CRI>80
Warranty	5 Years
IP	IP20



OSRAM





## SHARP LIGHT LIGHTING EQUIP TR L.L.C.SP

Address: Showroom-3, Bayt Al Zaynab, Industrial Area 11, Sharjah, United Arab Emirates.

Tel: +971 6 715 2969 Mobile: +971 58 570 4502 | +971 52 575 7709

Email: [info@sharplightuae.com](mailto:info@sharplightuae.com) Web: [www.sharplightuae.com](http://www.sharplightuae.com)

